



**Harvard Undergraduate Science Olympiad India
2025 Final Round
7th-8th Grade
Chemistry Section: Questions**

INSTRUCTIONS:

The HUSO India Final Round Chemistry section consists of two sections. Section I consists of multiple choice questions with only 1 correct answer. Section II consists of multiple choice questions with anywhere from 1 to 5 correct answers.

You may spend 1 hr on the Chemistry section. **You are allowed a non-programmable, non-graphing calculator. No additional notes or electronics are allowed.** The next page contains possibly useful reference information.

All answers must be bubbled on the provided on the answer sheet. Any writing on the exam booklet outside the designated boxes in the answer sheets will not be graded. You may write in this booklet, but **NO WRITING IN THIS BOOKLET WILL BE GRADED.**

For answers to be graded, you must fully darken in the corresponding bubbles on the answer sheet. Your bubble must have no white remaining to be properly scored. Poor bubbling will lead to your exam not being scored.

Grading:

- Section I: Single Select questions; +1 point per correct answer, -.25 points per incorrect answer, 0 points if question left blank.
- Section II: Multiple Select questions; +1 point per fully correct question (all correct choices selected AND no incorrect choices selected), 0 points otherwise. No negative points for incorrect answers.
- If there are ties, the higher Section II score wins.

Do your best! Embrace and conquer the challenge!

#	Section	Questions	% of Total
1	Single Select Questions	30	60
2	Multiple Select Questions	20	40
	Total	50	100

FOR REFERENCE:

STP: 0 °C, 1 atm

Standard State (for thermodynamics): 25 °C, 1 atm gas pressures, 1 M aqueous concentrations

 $R = 0.08206 \text{ L}\cdot\text{atm}/(\text{mol}\cdot\text{K}) = 8.314 \text{ J}/(\text{mol}\cdot\text{K})$ $F = 96485 \text{ C}/(\text{mol } e^-)$ $h = 6.626 \cdot 10^{-34} \text{ J}\cdot\text{s}$ $c = 2.998 \cdot 10^8 \text{ m/s}$ $N_A = 6.022 \cdot 10^{23}$

Periodic Table of the Elements

1 H 1.01	2 He 4.00																		
3 Li 6.94	4 Be 9.01	13 B 10.81	14 C 12.01	15 N 14.01	16 O 16.00	17 F 19.00	18 Ne 20.18												
11 Na 22.99	12 Mg 24.31	19 K 39.10	20 Ca 40.08	21 Sc 44.96	22 Ti 47.87	23 V 50.94	24 Cr 51.99	25 Mn 54.94	26 Fe 55.85	27 Co 58.93	28 Ni 58.69	29 Cu 63.55	30 Zn 65.38	31 Ga 69.72	32 Ge 72.63	33 As 74.92	34 Se 78.97	35 Br 79.90	36 Kr 83.80
37 Rb 85.47	38 Sr 87.62	39 Y 88.91	40 Zr 91.22	41 Nb 92.91	42 Mo 95.95	43 Tc 98.91	44 Ru 101.07	45 Rh 102.91	46 Pd 106.42	47 Ag 107.87	48 Cd 112.41	49 In 114.82	50 Sn 118.71	51 Sb 121.76	52 Te 127.6	53 I 126.90	54 Xe 131.29		
55 Cs 132.91	56 Ba 137.33	57-71 La 138.91	72 Hf 178.49	73 Ta 180.95	74 W 183.84	75 Re 186.21	76 Os 190.23	77 Ir 192.22	78 Pt 195.09	79 Au 196.97	80 Hg 200.59	81 Tl 204.38	82 Pb 207.2	83 Bi 208.98	84 Po [208.98]	85 At 209.99	86 Rn 222.02		
87 Fr 223.02	88 Ra 226.03	89-103 Ac 227.03	104 Rf 232.04	105 Db 231.04	106 Sg 238.03	107 Bh 238.03	108 Hs 237.05	109 Mt 244.06	110 Ds 243.06	111 Rg 247.07	112 Cn 247.07	113 Nh 251.08	114 Fl [254]	115 Mc 257.10	116 Lv 258.1	117 Ts 259.10	118 Og [262]		
57 La 138.91	58 Ce 140.12	59 Pr 140.91	60 Nd 144.24	61 Pm 144.91	62 Sm 150.36	63 Eu 151.96	64 Gd 157.25	65 Tb 158.93	66 Dy 162.50	67 Ho 164.93	68 Er 167.26	69 Tm 168.93	70 Yb 173.06	71 Lu 174.97					
89 Ac 227.03	90 Th 232.04	91 Pa 231.04	92 U 238.03	93 Np 237.05	94 Pu 244.06	95 Am 243.06	96 Cm 247.07	97 Bk 247.07	98 Cf 251.08	99 Es [254]	100 Fm 257.10	101 Md 258.1	102 No 259.10	103 Lr [262]					

SECTION 1: Single Select Questions

60% of the Chemistry Section total

Instructions: Select the 1 best answer to each of the following questions. +1 point per correct answer, -.25 per incorrect answer, 0 points if question left blank.

- Which of the following are present in atomic orbitals?
 - Protons
 - Neutrons
 - Electrons
 - Positrons
 - Molecules

- Which of the following metals would react most violently with water?
 - Al
 - Be
 - Cu
 - Ag
 - Na

- What is the name for a vertical column of elements on the periodic table?
 - Period
 - Group
 - Diagonal
 - Block
 - Orbital


- How many protons are present in an atom of ^{73}Ge ?
 - 31
 - 32
 - 41
 - 70
 - 73

- Which of the following atoms/ions is the most electronegative?
 - Cl
 - O
 - O^{2-}
 - S
 - S^{2-}

6. Which of the following molecules is polar?
- CO₂
 - CO
 - Cl₂
 - CH₄
 - O₂
7. What type of bonding involves equal sharing of electrons between two atoms?
- Non-polar covalent
 - Polar covalent
 - Ionic
 - Metallic
 - Hydrogen bonding
8. Which of the following best explains why the bond order of ozone is 1.5?
- The bonds between the atoms are polar.
 - A pair of electrons is rapidly flipping between the two bond locations
 - Ozone exists as an average of two equivalent lewis dot structures
 - The central O atom is sp² hybridized
 - Ozone exists in chemical equilibrium with O₂ in the atmosphere
9. How many nodes are observed in a 4d orbital?
- 1
 - 2
 - 3
 - 4
 - 5
10. What is the mass number of an alpha particle?
- 0
 - 1
 - 2
 - 3
 - 4

11. What is the bond angle (in degrees) in CH_4 ?
- a. 90
 - b. 109.5
 - c. 120
 - d. 150
 - e. 180
12. How many neutrons are present in an atom of ${}^5\text{He}^{2+}$?
- a. 1
 - b. 2
 - c. 3
 - d. 4
 - e. 5
13. How many unpaired electrons are present in an atom of As?
- a. 0
 - b. 1
 - c. 2
 - d. 3
 - e. 4
14. When I balance the following equation, what do the coefficients sum to?
- $$__ \text{MgCl}_2 + __ \text{NaOH} \rightarrow __ \text{Mg(OH)}_2 + __ \text{NaCl}$$
- a. 4
 - b. 5
 - c. 6
 - d. 7
 - e. 8
15. What is the concentration of chloride ions if I dissolve 0.35 g of aluminum chloride in 0.50 L of water?
- a. 0.002 M
 - b. 0.005 M
 - c. 0.011 M
 - d. 0.016 M
 - e. 0.033 M

16. Which graph best shows the relationship between distance between nuclei (x-axis) and energy (y-axis) for a two-atom system forming a covalent bond?



Answer: D

17. What is the overall reaction order of the following reaction?



Experimental Data:


Initial concentration of A (mol/L)	Initial concentration of B (mol/L)	Initial Rate of Reaction (mol/(L*s))
0.35	0.25	0.63
0.80	0.25	1.45
1.75	0.65	8.25

- a. 0
 - b. 1
 - c. 2
 - d. 3
 - e. 4
18. Completely combusting in excess oxygen 135.4 g of a compound consisting of only C, H, and O produces 54 g of water and 134.2 g of CO_2 as the only products. What is the empirical formula of the compound?
- a. CH_2O
 - b. $\text{C}_2\text{H}_5\text{O}$
 - c. CH_3O
 - d. CH_2O_3
 - e. CH_2O_2

19. I am given the following data:

Reaction	ΔH° (kJ/mol)
$\text{H}_2(\text{g}) + \text{Cl}_2(\text{g}) \rightarrow 2 \text{HCl}(\text{aq})$	-334.4
$\text{Na}(\text{s}) + \frac{1}{2} \text{O}_2(\text{g}) + \frac{1}{2} \text{H}_2(\text{g}) \rightarrow \text{NaOH}(\text{s})$	-425.6

What is the enthalpy change (ΔH°) for the following reaction as shown below?



- a. -760 kJ
 - b. -167.2 kJ
 - c. -91.2 kJ
 - d. 592.8 kJ**
 - e. 760 kJ
20. I am told that the pKa of acetic acid is 4.76. I have a 2 M solution of acetic acid. What is its pH?
- a. 2.00
 - b. 2.23**
 - c. 3.85
 - d. 4.76
 - e. 5.83
21. I am told that the Ksp of AgBr is 5.0×10^{-13} . What is the molar solubility of AgBr?
- a. 5.1×10^{-20} M
 - b. 2.5×10^{-13} M
 - c. 2.4×10^{-10} M
 - d. 7.1×10^{-7} M**
 - e. 3.3×10^{-5} M
22. I am performing a titration of a solution of ammonia (NH_3) of unknown concentration. What standardized solution should I use as my titrant?
- a. Sodium Hydroxide
 - b. Acetic Acid
 - c. Potassium Permanganate
 - d. Phenolphthalein
 - e. Hydrochloric Acid**

23. Which orbital type in the $n=3$ energy level has the best ability to shield outer-shell electrons?

- a. s
- b. p
- c. d
- d. f
- e. g

24. What is the oxidation state of Fe in $\text{Na}_3[\text{Fe}(\text{CN})_6]$?

- a. -1
- b. 0
- c. +1
- d. +2
- e. +3

25. I have a balloon full of an equal concentration mixture of CO_2 , N_2 , O_2 , and Ar gas. Assuming all gases are ideal, after 2 seconds which gas will have the highest concentration in the balloon?

- a. CO_2
- b. N_2
- c. O_2
- d. Ar
- e. By the ideal gas law, the gases will remain the same concentrations relative to each other.

26. Iron is known to be body centered cubic at room temperature. The unit cell of iron has an edge length 287×10^{-12} m. Calculate the density of iron at room temperature in g/cm^3 to the nearest whole number.

- a. 5
- b. 6
- c. 7
- d. 8
- e. 9

27. Reaction with hydrochloric acid is used to determine whether an unknown salt contains **which of the following cations or anions?**

- a. Na^+
- b. Cu^{2+}
- c. I^-
- d. SO_4^{2-}
- e. CO_3^{2-}

28. Which of the following thermodynamical quantities is a measure of system disorder?

- a. Enthalpy
- b. Entropy
- c. Free Energy
- d. Heat
- e. Work

29. Luke determines the amount of carbonate in a tablet of medicine by adding the medicine tablet into a solution of excess hydrochloric acid and providing gentle heat (50-60 °C) while stirring. Luke measured the initial mass of the beaker with acid and the initial mass of the tablet. After measuring the initial mass but before adding the tablet to the acid, he crushes the tablet with a mortar and pestle and then transfers it to the acid. He recorded the final mass of the beaker with acid and dissolved tablet after the total mass stops changing and the tablet stops fizzing. Which of the following issues would lead to him overestimating the amount of carbonate in the tablet?

- a. Some water evaporated during the heating process.
- b. The acid was not actually in excess.
- c. The acid was in high excess, but Luke used 7 M HCl instead of 6 M HCl which the procedure asked for.
- d. Luke took the final measurement while there was still some bubbling from the tablet.
- e. Some tablet remained on the mortar and pestle.

30. Which of the following intermolecular forces can occur between two non-polar molecules?

- a. Induced dipole - induced dipole
- b. Ion-ion
- c. Ion-dipole
- d. Dipole-induced dipole
- e. Dipole-dipole

SECTION 2: Multiple Select Questions

40% of the Chemistry Section total

Instructions: Select ALL correct answers to each of the following questions (there is anywhere from 1 to 5 correct answers per question). +1 point per question where ALL correct answers are selected AND no incorrect answers are selected. 0 points otherwise.

31. Which of the following elements are halogens?

- a. I
- b. O
- c. F
- d. S
- e. He

32. Which of the following compounds are basic when dissolved in water?

- a. K_2O
- b. SO_3
- c. Na_2O
- d. BaO
- e. NO_2

33. Which of the following overall trends occur as you move towards the right in a period for the main group elements (ignore noble gases)?

- a. Increasing atomic mass
- b. Increasing electronegativity
- c. Increasing atomic radius
- d. Increasing number of valence electrons
- e. Decreasing 1st ionization energy

34. Which of the following statements are true about electrons?

- a. They are much smaller than protons and neutrons in terms of mass
- b. Each period of the periodic table has the same number of valence electrons
- c. Isotopes of the same element are atoms that vary in number of electrons
- d. Neutral atoms have the same number of protons and electrons
- e. Electrons orbit the nucleus in circular orbits

35. Which of the following elements exist as diatomic gases in their standard states?
- a. H
 - b. He
 - c. N
 - d. O
 - e. P
36. Which of the following compounds would be considered an Arrhenius base when dissolved in water?
- a. KOH
 - b. NH₃
 - c. Ca(OH)₂
 - d. F⁻
 - e. Na⁺
37. Which of the following compounds would be considered a Bronsted-Lowry base when dissolved in water?
- a. KOH
 - b. NH₃
 - c. Ca(OH)₂
 - d. F⁻
 - e. Na⁺
38. Which of the following statements are true about ideal gases?
- a. Pressure is directly proportional to volume
 - b. Pressure is directly proportional to number of moles
 - c. Pressure is directly proportional to temperature (Kelvin)
 - d. Pressure is inversely proportional to volume
 - e. Pressure is inversely proportional to temperature (Kelvin)
39. Which of the following procedures are methods of qualitative analysis?
- a. Titration
 - b. Flame test
 - c. Combustion Analysis
 - d. Observation of fizzing when reacting with HCl
 - e. None of the above
40. Which of the following properties are generally true of ionic compounds?
- a. High melting point

- b. Conducts electricity as a solid
- c. Brittle (shatters with force)
- d. Ductile (can be made into a wire)
- e. Consists of a lattice of atoms/ions

41. Which of the following properties are generally true of metallic compounds?

- a. High melting point
- b. Conducts electricity as a solid
- c. Brittle (shatters with force)
- d. Ductile (can be made into a wire)
- e. Consists of a lattice of atoms/ions

42. Which of the following ions are colored in solutions?

- a. Na^+
- b. Cu^{2+}
- c. Fe^{3+}
- d. Cl^-
- e. NO_3^-


43. Which of the following processes are exothermic?

- a. Freezing
- b. Melting
- c. Vaporization
- d. Sublimation
- e. Breaking a bond

44. Which of the following compounds have trigonal pyramidal geometry?

- a. PCl_3
- b. H_2O
- c. SOCl_2
- d. CH_3Br
- e. XeO_3

45. Which of the following changes would increase the amount of Br^- obtained from the reaction below (assume solution in water is saturated in PbBr_2)?



- a. Adding water
- b. Adding Pb^{2+}

- c. Adding iodide (I⁻)
 - d. Adding PbBr₂ solid
 - e. None of the above
46. I am performing a titration of a solution of iron (II) chloride of unknown concentration. What standardized solutions would be useful as my titrant if I wanted to perform a redox titration?
- a. Sodium Hydroxide
 - b. Acetic Acid
 - c. Hydrochloric Acid
 - d. Iron (III) chloride
 - e. Potassium Permanganate
47. Which of the following are chemical changes?
- a. Evaporating off water from a salt solution
 - b. Iron rusting
 - c. Titrating acid and base
 - d. Dilution of acid
 - e. Melting ice
48. Which of the following intermolecular forces are highly present for ammonia (NH₃) gas?
- a. Induced dipole - induced dipole
 - b. Dipole-dipole
 - c. Hydrogen bonding
 - d. Ion-dipole
 - e. Ion-ion
49. Which of the following electronic transitions in a hydrogen atom emits visible light?
- a. 1s orbital to 2s orbital
 - b. 3d orbital to 1s orbital
 - c. 4d orbital to 2s orbital
 - d. 2p orbital to 1s orbital
 - e. 3s orbital to 2p orbital

50. Alice, Bob, and Adelina are working together on an experiment to determine the molar mass of butane by collecting butane (C_4H_{10}) gas over water. Specifically, they are using a butane lighter and measure the difference between the initial and final mass of the lighter to determine the mass of butane used. Here was their experimental procedure:

- 1) Take an initial mass of the lighter.
- 2) Measure the volume of butane gas collected in a graduated cylinder partially submerged under water (by displacing water); use this volume to calculate the number of moles of butane gas used.
- 3) Take a final mass of the lighter.

Unfortunately, Adelina tells Alice and Bob that their experimental molar mass of butane is too high compared to the true molar mass. Which of the following reasons could explain why?

- a. They forgot to dry the lighter before measuring the final mass of the lighter.
- b. The team performed the experiment and calculations assuming the room pressure was 1.0 bar, but they did not realize the room pressure was actually 1.013 bar.
- c. The lighter contained some propane (C_3H_8) mixed in with the butane.
- d. The water was slightly acidic, with pH 6.5.
- e. The water was slightly basic, with pH 7.5.